

ADRODDIAD

Aethwy

RDC
(Mon.)

Y

SWYDDOG MEDDYGOL

AR

GYFLWR IECHYD

DOSBARTH AETHWY, MŌN

AM Y FLWYDDYN, 1967

gan gorffori adroddiad y

SWYDDOG IECHYD

J. G. WILKES, M.A.P.H.I., C.P.H.I.,

Y Cadeirydd a Phanghonydd,
Cyngor Gwleidyddol Aethwy.

Mr. Cadeirydd, Boneddigesau a Boneddigion,

Mae'n anrhydedd gennyf gyflwyno yr ail adroddiad ar bymtheg blyneddol ar iechyd cyhoeddus y dosbarth am y flwyddyn 1967.

Mae'r amcangyfrif o boblogaeth y dosbarth yn cynyddu yn raddol, deng mlynedd yn ôl 'roedd y rhif yn 10,700, tra yn y flwyddyn 1967 y rhif yw 10,870. Yr un yw'r sylwadau gyda rhif tai preswylledig, treth a'r dreth geiniog. Deng mlynedd yn ôl y ffigurau oedd tai yn 4,042, y dreth yn £60,339 a'r dreth geiniog yn £238.

Bu lleihad sylweddol yn rhif genedigaethau anghyfreithlon yn ystod 1967. Yn 1966 'roedd y ffigur yn 15. Hefyd gyda marwolaethau oedolion, yn 1966 bu 168 o farwolaethau tra yn 1967 y rhif yw 45. Ond eto, y prif achos o farwolaeth yw clefydau y galon, hyn yn gyffredinol drwy'r wlad.

Cofrestrwyd ond 2 gyda'r T.B., a'r ddau hynny yn achos di-ysgyfaint. Mae hyn yn gannoladwy iawn ac yn dangos cyfraniad da yr Awdurdod Dosbarth mewn gofalu fod cartrefi addas ar gael. Lle mae tai addas ni cheir clefydau o'r math; mewn hyn o beth mae Cyngor Aethwy wedi cyfrannu yn fawr.

Ni fu haint o'r un math yn y dosbarth a bu safon iechyd y trigolion yn foddhaol iawn. Mae llawer o'f clod am hyn yn ddyledus i waith y meddygon teulu, y cliniclau a'r gweinyddesau.

Ceir eto sylwadau y Swyddog Iechyd yn ei adroddiad llawn a diddorol. Awgrymir fod sylw yn cael ei roi yn enwedig i'w nodiadau arddwmp ysbwriel ar gyfer Aethwy, Biwmaris a Phorthaethwy, canolfan i ddelio a hen foduron, cyfleusterau cyhoeddus a charthffosiaeth.

Dymunaf ddiolch i'r Clerc am bob arweiniad a ofynir amdano yn holl iechyd cyhoeddus y dosbarth. Hefyd, diolch i'r Cadeirydd, Pwyllgor Iechyd a Thai am ei gydweithrediad dymunol.

Ydwyf,

W. ARTHUR JONES.

Swyddog Meddygol Iechyd

Dyfniadau o Ystadegau ac Iechyd

Ystadegau Cyffredinol

Aceri arwynebedd	52,352
Amcangyfrif y Cofrestrydd Cyffredin o'r boblogaeth yng nghanol y flwyddyn 1967	10,870
Cyfrif Poblogaeth 1966	10,790
Rhif tai preswylledig	4,214
Rhif tai Gyngor	776
Gwerth mewn treth	£200,294
Swm cynnyrch a threth geiniog	£767

Ystadegau Bywyd

Genedigaethau Bywanedig

	<u>Gwryw</u>	<u>Benyw</u>	<u>Cyfanswm</u>
Cyfreithlon	94	84	178
Anghyfreithlon	2	4	6
	<u>96</u>	<u>88</u>	<u>184</u>

Graddeg genedigaethau yn ol y fil o amcangyfrif y boblogaeth oedd
16.9. Graddeg genedigaethau am 1964 oedd 18.7; 1965 - 17.54 a 1966 - 19.1.
Graddeg genedigaethau Sir Fôn oedd 17.9; Cymru a Lloegr oedd 17.2

Graddeg genedigaethau Gosodedig Aethwy am 1967 oedd 19.3.

Genedigaethau Marwanedig

	<u>Gwryw</u>	<u>Benyw</u>	<u>Cyfanswm</u>
Cyfreithlon	1	3	4
Anghyfreithlon	-	-	-
	<u>1</u>	<u>3</u>	<u>4</u>

Graddeg genedigaethau marwanedig yn ol y fil o amcangyfrif y boblogaeth
oedd 0.36; Sir Fôn - 0.88 a Chymru a Lloegr - 0.25.

Graddeg genedigaethau marwanedig yn ol y fil o enedigaethau
(bywanedig a marwol) oedd 21.2; Sir Fôn - 12.7; Cymru a Lloegr - 14.8.

Graddau Marwolaeth Babanod o dan flywdd oed

	<u>Gwryw</u>	<u>Benyw</u>	<u>Cyfanswm</u>
Cyfreithlon	10	4	14
Anghyfreithlon	-	-	-
	<u>10</u>	<u>4</u>	<u>14</u>

ACHOSION MARWOLAETH GYDA'R NIFER YN Y DOSBARTH GWLEDIG

	G	B
1. Malignant Neoplasm, Lung, Bronchus	4	-
2. Other Malignant and Lymphatic Neoplasms	3	2
3. Diabetes	1	-
4. Vascular Lesions of Nervous System	4	2
5. Coronary Disease, Angina	4	2
6. Hypertension with Heart Disease	1	-
7. Other Heart Disease	3	5
8. Other Circulatory Disease	2	-
9. Bronchitis	2	-
10. Other Diseases of Respiratory System	1	-
11. Other defined and ill-defined Diseases	4	4
12. All Other Accidents	1	-
Total	30	15

ATALIAD A RHIFOLIAITH CLEFYDAU HEINTUS

Clefydau Nodedig (arwahan i Ddarfodedigaeth)

Tabl i ddangos y clefydau a'r rhif yn ôl yr oedran.

Clefyd	-1	1+	2+	3+	4+	5-9	10-14	15-24	25+	?
Frech Goch	10	30	39	44	62	213	46	2	6	3
Pas	2	2	2	2	2	7	1	-	-	-
Heinglwyf	-	-	-	-	-	-	-	-	-	1

Clefyd	-5	5-14	15-44	45-64	65+	?
Gwenwyn Bwydol	1	-	-	-	-	1
Paratyphoid Fever	-	-	-	-	-	1

Darfodedigaeth

Oed	Rhyw	Ysgyfaint neu Di-Ysgyfaint
2½	B	Di-Ysgyfaint
60	B	Di-Ysgyfaint

Buchfrechiad ac Imiwio

Mae'r Cyngor Sir a'r Meddygon Teuluoedd yn gofalu am y gwaith yma.

Buchfrechiad y Frech Wen

Cafodd 132 o bobl eu buchfrechu am y tro cyntaf yn ystod y flwyddyn ac 104 arall ail-fuchfrechiad.

Buchfrechiad yn erbyn y Ddarfodedigaeth

Mae'r buchfrechiad B.C.G. yn cael ei rhoddi gan Swyddog Meddygol Arbennig i'r Ysgyfaint ac yn cyd-weithio a Swyddog Meddygol y Sir. Mae'r cynllun yn gofalu y caiff pob baban, a enir i gartref lle mae darfodedigaeth ynddo, y buchfrechiad fel amddiffynfa rhag y clwy. Hefyd, caiff y rhai sydd mewn cyffyrddiad a'r cleifion y buchfrechiad yma.

Imiwio yn erbyn "Diphtheria", "Tetanus" a'r Pas

Cafodd 137 o bobl eu himiwio yn erbyn "Diphtheria", 137 yn erbyn y Pas a 137 yn erbyn "Tetanus".

Y DDEDDF GYNGHOROL 1948

Ni chynwysyd gweithrediad o un fath mewn perthynas i'r Ddeddf hon.

REPORT OF THE PUBLIC HEALTH INSPECTOR

FOR THE YEAR 1967

H O U S I N G

Council Building

The following table shows the number of houses completed and under construction during 1967.

Completed:

Llandegfan - 2 semi bungalows.
Llangoed - 4 semi bungalows.
 4 flats.

Under Construction:

Newborough - 19 houses, 14 bungalows, 1 Warden's House.
Llangaffo - 7 houses
Dwyran - 5 houses and 4 bungalows.
Holland Arms- 4 houses and 2 bungalows.

The total number of Council owned dwellings at the end of 1967 was 770, the majority of which are of the 3 bedroom type. The completion of the scheme at Newborough in mid 1968 will again increase accommodation available to the elderly.

Private building continues at a steady rate, 95 houses being completed and a further 94 dwellings were under construction at the end of 1967.

Improvements to Council Houses

The Council has continued to improve facilities on its housing estates and with the completion of the sewerage scheme at Llandegfan all its houses in the area were connected to the new sewer. The major sewerage scheme at Pentraeth is making good progress and when completed, no doubt, similar arrangements will be made to deal with the 56 Council houses in the village.

Housing Improvements

52 applications were approved for the improvement of dwellings by means of a Discretionary Grant and 53 applications by means of a Standard Grant, as compared with 54 and 29 respectively in 1966. Works of improvements were completed in respect of 76 properties (48 Discretionary, 28 Standard) and works on the remaining premises will, no doubt, be carried out during 1968.

Rent Act, 1967

No applications were received and no certificates of disrepair were issued during the year.

Housing Act, 1961 - Section 24

Where dwelling houses have been dealt with by means of a confirmed Clearance Area, a local authority on being satisfied that, one or more houses comprised in the Order, have been made fit for human habitation, or will if excluded from the Order be made fit, - may submit to the Minister for confirmation an Order modifying or revoking the Clearance Order.

Proposals were submitted to the Council during the year in respect of the Tai Newydd, Llanfairpwll, Clearance Area (5 houses). The following which were dealt with as Revocation Orders in 1965 have now been completed:-

1-6, Hiracl Street, Gaerwen.
2-3, Tai Uchaf, Gaerwen.

Houses in Clearance Areas and Unfit Houses Elsewhere

A. Houses in or Adjoining Clearance Areas

Number of houses demolished 4
Number of separate dwellings contained therein 4

B. Unfit Houses Elsewhere

Number of houses 5
Number of separate dwellings contained therein 5

C. Persons Displaced

From houses to be demolished in or adjoining Clearance Areas 3
From houses to be demolished not in or adjoining " " -
From houses to be closed 5

D. Number of Families Displaced

From houses to be demolished in or adjoining Clearance Areas 3
From houses to be demolished not in or adjoining " " -
From houses to be closed 1

E. Unfit Houses Made Fit

After informal action by local authority 52
After Modification or Revocation Order 4
After formal notice (Section 9 & 16) 1

F. Public Health Acts

Defects remedied after formal notices -

The Council's major Clearance Area programme was completed in 1965 but a number of individual Unfit Houses remain. Several of these types of properties are however being reconditioned by means of Improvement Grants and on this matter there is excellent co-operation between the Surveyor's Department and the Public Health Department.

RODENT CONTROL

The following table is a record of the work carried out under the Prevention of Damage by Pests Act, 1949:-

	Type of Property	
	Non Agricultural	Agricultural
Properties other than Sewers.		
1. Number of properties in district	3,775	722
2. (a) Total number of properties (including nearby premises) inspected following notification	301	107
(b) Number infested by (i) Rats	271	89
(ii) Mice	37	9
3. (a) Total number of properties inspected for rats and/or mice for reasons other than notification...	317	46
(b) Number infested by (i) Rats	139	27
(ii) Mice	42	14

The Council's several sewage disposal works are visited regularly and treatment undertaken as found necessary. Main sewers are test-baited over a year and the refuse tip is kept under constant supervision.

The outbreak of "Foot and Mouth" Disease in North Wales had a restricting effect on visits to agricultural premises in the latter part of the year. Arrangements were however made to have ready mixed baits at farm gateways. No farms were visited during the outbreak unless specially requested and all precautions were taken before entering or leaving premises.

Summary of Mole Destruction Work

Total number of farms visited	95.
" " " " treated	95.
Type of Infestation - major	15.
" " " - minor	80.

WATER SUPPLY

Supplies Other than County Mains

A total of 32 samples were taken and submitted to the Public Health Laboratory, Conway, for bacteriological examination. 19 were reported as satisfactory and 13 as unsatisfactory. In all cases where adverse reports are received, occupiers are advised to either boil or chlorinate the water before using for human consumption and domestic use.

Mains Water Supply

There is co-operation between the County Water Department on matters arising concerning public supplies and any complaints received are usually given prompt attention although discolouration of the mains supply does occasionally still occur in some parishes.

The number of dwellings supplied from public mains is as follows:-

(a) Direct to houses	3,217
(b) By means of standpipe	34

FOOD HYGIENE REGULATIONS

There have been no additions to the 46 premises registered under the Food and Drugs Act, 1955, for the storage and sale of ice-cream. Generally the shops in the district are of the small village store type and the standard of hygiene continues to be well maintained.

POULTRY ESTABLISHMENTS

No premises for the commercial slaughtering and dressing of poultry have been established. Farms in the district in some small degree no doubt provide for a very limited local demand.

CARAVAN SITES & CONTROL OF DEVELOPMENT ACT, 1960

The total number of authorised caravans was 495 and during the survey carried out in August the caravans on sites numbered 424. Periodic visits are made, particularly to the larger sites; control, maintenance and general management continue to be satisfactory.

INFECTIOUS DISEASES

The following cases were notified and, where necessary, specimens submitted to the Public Health Laboratory, Conway:-

Measles	460
Whooping Cough	18
Food Poisoning	1
Para Typhoid B	1

OFFICES, SHOPS & RAILWAY PREMISES ACT, 1963

This legislation mainly provides that the facilities and protection which have for some time been available to the industrial worker shall now also be enjoyed by the non-industrial worker and it aims to secure a higher standard of safety is in keeping with modern industrial trends. No accidents were reported for the period under review.

(A) Registrations and General Inspections

Class or Premises (1)	No. of Premises registered during the year. (2)	Total No. or registered premises at end of year. (3)	No. of registered premises receiving a general inspection during the year. (4)
Offices	-	6	6
Retail Shops	-	16	14
Wholesale shops, warehouses	-	4	3
Catering establishments open to the public, canteens	-	5	5
Fuel storage depots	-	1	1
Totals:	-	32	28

(B) Total number of visits of all kinds to registered premises - 28.

(C) Analysis of Persons employed in Registered Premises.

Class of Workplace	No. of Persons Employed
Offices	34
Retail Shops	36
Wholesale departments, warehouses	24
Catering establishments, open to the public	17
Canteens	11
Fuel storage depots	1
Total	123
Total Males ..	59
Total Females.	64

FACTORIES ACT

1. Inspections for purposes of provisions to health.

	Number on Register (3)	Inspect- ions (4)	Written Notices (5)	Occupiers Prosecuted (6)
(i) Factories in which Sections 1, 2, 3, 4, & 6 are to be enforced by the L.A.S.	None	-	-	-
(ii) Factories not included in (i) in which Section 7 is enforced by the Local Authority.	21	15	2	-
(iii) Other premises in which Section 7 is enforced by the Local Authority (ex- clude outworkers' premises).	None	-	-	-
TOTAL:	21	15	2	-

2. Cases in which defects were found.

	Number of cases in which defects were found				Number of cases in which prosecutions were instituted.
	Referred				
	Found (3)	Remedied (4)	To H.M. Inspector or (5)	By H.M. Inspector (6)	
Want of cleanliness (S.1.)	-	-	-	-	-
Overcrowding	-	-	-	-	-
Unreasonable temperature (S.3.)	1	1	-	-	-
Inadequate ventilation (S.4.) .	-	-	-	-	-
Ineffective drainage of floors (S.6.)	-	-	-	-	-
Sanitary Conveniences (S.7a) ..					
(a) Insufficient	2	2	-	-	-
(b) Unsuitable or defective ..	4	4	-	-	-
(c) Not separate for sexes ...	1	1	-	-	-
Other offences (not including offences relating to outwork).	-	-	-	-	-
Total	8	8	-	-	-

REFUSE COLLECTION

The two Shelvoke and Drewery Refuse Collection Vehicles were delivered early in the year and the Council's policy of providing a once-weekly collection throughout the district was commenced on the 1st April. This improved service met what was a growing demand and has been appreciated by the ratepayers in the area.

An arrangement whereby refuse from the Borough of Beaumaris could be deposited at the Council's Porthamel Tip commenced in December and no difficulties have been encountered. This will, of course, shorten the life of the Porthamel Tip and it is anticipated the proposed joint scheme for the use of Penhesgyn as a refuse depository by the Methwy R.D.C., the Borough of Beaumaris and Menai Bridge U.D.C., will make substantial progress in 1968.

PUBLIC CONVENIENCES

Llanddona - Preparatory work for a new public convenience near the beach have been completed. Construction should commence in the late Spring or early Summer of 1968.

Newborough - The Council have experienced considerable difficulty in obtaining a suitable site. The need for the provision of these facilities is now becoming acute as the influx of holiday-makers appears to be on the increase and it is hoped that this matter will soon be resolved.

Requests will no doubt be made from other parts of the district for the provision of public conveniences. These will no doubt be given due consideration at the appropriate time as circumstances permit.

ABANDONED VEHICLES

Owing to the limited accommodation at Porthamel the Council may have to give consideration to this problem in the very near future, particularly as under impending legislation local authorities will be required to provide sites to which such vehicles can be brought. A central site to serve the whole of Anglesey is a possibility but in the event of this not being practicable responsibility will rest with each individual authority.

DRAINAGE AND SEWAGE DISPOSAL

Llandoxfan - This major scheme has been completed and the work of connecting properties to the new public sewer is making good progress.

Llangaffo - Completion of this scheme was expected in September but owing to certain difficulties, the effective operational date will probably be delayed until January or February 1969.

Pentraeth - Work has been commenced and the indications are that the scheme will be in operation some time in October or November, 1968. Certain areas within the Twrcelyn R.D.C. are served by this scheme.

Llanfairpwll, Llanddaniel and Llangoed - The Council already agreed to proceed with improvements to the existing sewer at Llanfairpwll which will include a new treatment works at Pwllfanog. Proposals for Llanddaniel provide for the new sewer to discharge into the Gaerwen treatment works and this will involve certain modification to the existing plant.

The Council's Consulting Engineers have made preliminary surveys in connection with Llangoed and Penmon and will, no doubt, be submitting a detailed scheme in due course.

CONCLUSION

I again wish to express my thanks to all members of the Council and staff for their assistance during the year and in particular Dr. W. Arthur Jones, Medical Officer of Health, for his kind co-operation.